

OEM/ ODM / OBM

For more product types and details, please contact us



NEW ARRIVALS

2026 COLLECTION



Zhejiang Benbao Vehicle Co., Ltd

Address: 5111 Shugang Ave, Taizhou City, Zhejiang, China

WeChat/WhatsApp: +86 189 6613 1999

E-mail: market@benbaoev.com



National Service Hotline

400 180 3888

 www.benbaoev.com

BENBAO EV



Company profile

Founded in 1997, Zhejiang Benbao Vehicle Co. is headquartered in Taizhou, the "Capital of Chinese Motorcycle Parts." With a 15,000-square-meter facility, we are a modern enterprise integrating R&D, production, and sales.

Our factory features advanced assembly and coating lines, backed by a technical center utilizing CAD/CAM design and CMM inspection systems. We operate under strict ISO9001:2000 quality standards.

Guided by "High Standards and Service Priority," we have launched hundreds of premium models sold worldwide. Our comprehensive support network includes over 150 field personnel and regional parts depots to ensure rapid response.

Zhejiang Benbao Vehicle Co. is dedicated to delivering cost-effective, green mobility solutions to customers around the globe.




Quality assurance

30


 years of export quality

GLOBAL LAYOUT

Sales cover the whole country and are exported to North America, South America, the Middle East, Southeast Asia, Africa and other regions



POWER



MOTION



**CHOOSE THE PRODUCT
THAT SUITS YOU**



**STRONG
PERFORMANCE**



**QUALITY
SELECTION**



**URBAN
COMMUTING**



**LIGHTWEIGHT
AND PRACTICAL**



STRONG POWER



E4

Battery type	Lead acid battery
Battery Capacity	72V/32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F&R:110/70-12
Max speed	≥65km/h
Max range	90km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1952*740*1150mm



• power



Fenvalor

Battery type	Lead acid battery
Battery Capacity	72V/32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F:90/80-12 R:3.00-10
Max speed	≥65km/h
Max range	90km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1870*760*1250mm



N95



N95

Battery type	Lead acid battery
Battery Capacity	72V 32Ah/20Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F:90/90-12 R:90/90-10
Max speed	≥65km/h
Max range	85km/65km
Controller	1500W DC brushless
Motor	15tube 40A
Product dimension(L*W*H)	1775*720*1165mm



S90



S90

Battery type	Lead acid battery
Battery Capacity	72V 32Ah/20Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F&R:120/70-10
Max speed	≥65km/h
Max range	85km/65km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1855*730*1130mm



**QUALITY ON THE STREET
SMOOTH JOURNEY**





T16

Battery type	Lead acid battery
Battery Capacity	72V 20Ah/32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F&R:120/70-10
Max speed	≥65km/h
Max range	65km/85km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1855*730*1130mm



power

E-Surge

CHASING THE LIGHT



E-Surge

Battery type	Lead acid battery
Battery Capacity	72V 20Ah/32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F&R: 3.0-10 Tubeless Tires
Max speed	≥65km/h
Max range	90km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1855*700*1105mm



E-RORY

Battery type	Lead acid battery
Battery Capacity	72V 20Ah/32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F&R:120/70-10
Max speed	≥65km/h
Max range	65km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1750*720*1130mm





T17

Battery type	Lead acid battery
Battery Capacity	72V 20Ah/32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F&R:120/70-10
Max speed	≥65km/h
Max range	65km/85km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1855*730*1130mm



quality





**URBAN COMMUTING
STYLISH STREET STYLE**



Crospeed

Battery type	Lead acid battery
Battery Capacity	72V 20Ah/32Ah
Brake (F&R)	F:Disc R:Drum
Tire Size (F&R)	F&R: 3.0-10 Tubeless Tires
Max speed	≥55km/h
Max range	65km/85km
Controller	12tube 33A
Motor	1200W DC brushless
Product dimension(L*W*H)	1850*700*1105mm



Panther



Panther

Battery type	Lead acid battery
Battery Capacity	60V/32Ah
Brake (F&R)	F:Disc R:Drum
Tire Size (F&R)	F&R: 3.0-10 Tubeless Tires
Max speed	≥55km/h
Max range	73km
Controller	12tube 33A
Motor	1200W DC brushless
Product dimension(L*W*H)	1850*760*1100mm



LOOK





BENB
DESIGN

MOK

Battery type	Lead acid battery
Battery Capacity	60V/70V 20Ah
Brake (F&R)	F:Disc R:Drum
Tire Size (F&R)	F&R: 3.0-10 Tubeless Tires
Max speed	≥45km/h
Max range	55km/73km
Controller	12tube 33A
Motor	1200W DC brushless
Product dimension(L*W*H)	1744*717*1065mm



EGGY



Eggy

Battery type	Lead acid battery
Battery Capacity	60V/70V 20Ah
Brake (F&R)	F:Disc R:Drum(F&R: Disc)
Tire Size (F&R)	F&R: 3.0-10 Tubeless Tires
Max speed	≥45km/h
Max range	50km/65km
Controller	12tube 33A
Motor	1200W DC brushless
Product dimension(L*W*H)	1855*730*1130mm



Africa 非洲





Wojee

Battery type	Lead acid battery
Battery Capacity	72V32Ah
Brake (F&R)	F:Disc R:Drum
Tire Size (F&R)	F&R:110/70-12
Max speed	≥70km/h
Max range	70km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1950*740*1150mm

MENSE



Mense

Battery Capacity	72V32Ah
Brake (F&R)	F:Disc R:Drum
Tire Size (F&R)	F:110/70-12 R:120/70-10
Max speed	≥70km/h
Max range	75km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1750*720*1130mm



e-ares

Battery type	Lead acid battery
Battery Capacity	72V32Ah
Brake (F&R)	F&R: Disc
Tire Size (F&R)	F:90/80-12 R:3.0-10 Tubeless Tires
Max speed	≥65km/h
Max range	90km
Controller	15tube 40A
Motor	1500W DC brushless
Product dimension(L*W*H)	1870*760*1250mm



quality



Ailunx

Battery type	Lead acid battery
Battery Capacity	60V/72V 20Ah
Brake (F&R)	F:Disc R:Drum(F&R: Disc)
Tire Size (F&R)	F&R: 3.0-10 Tubeless Tires
Max speed	≥45km/h
Max range	50km/65km
Controller	12tube 33A
Motor	1200W DC brushless
Product dimension(L*W*H)	1690*730*1110mm

